

**ANNUAL WATER QUALITY REPORT FOR CALENDAR YEAR 2017**  
**CITY OF POUGHKEEPSIE**  
**26 Howard Street**  
**Poughkeepsie, New York**  
**Federal Public Water Supply ID #NY1330291**

**Introduction:**

To comply with State regulations, the City of Poughkeepsie annually issues this report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. Sampling and analyses are carried out routinely as directed by the Dutchess County Health Department and the New York State Department of Health and currently meet the drinking water standards.

We want you to be informed about your drinking water. If you have any questions about this report or concerning your drinking water, please contact Joseph Kane, Water Distribution Operator, at the City of Poughkeepsie Department of Public Works, at (845) 451-4192, or the Dutchess County Health Department at (845) 486-3404. If you want to learn more, please attend any of the regularly scheduled Joint Water Board meetings held the first Tuesday of every month in the conference room at the Poughkeepsies' Water Treatment Facility (behind Marist College). For further information about the Poughkeepsies' Water Treatment Facility, telephone the Joint Water Board Administrator, Randy Alstadt at (845) 451-4173, ext. 2003. You may also visit the Poughkeepsies' Water Treatment Facility website at <http://www.cityofpoughkeepsie.com/watertreatment>. This report can be found on the City of Poughkeepsie's web site <http://www.cityofpoughkeepsie.com/departments/dpw/waterdistribution>.

**Where Does Our Water Come From?**

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The source of water for the City of Poughkeepsie is treated surface water (Hudson River) which is purchased from the jointly owned town and city treatment plant, Poughkeepsies' Water Treatment Facility. The Poughkeepsies' Water Treatment Facility utilizes conventional, state of the art, filtration process to treat the water supply. This process includes chemical application of polyaluminum chloride to stabilize the small particles in the raw water supply. Once stabilized, the particles are combined with an organic polymer and previously settled solids, then slowly mixed to form larger particles. The larger particles are then removed through settling. Following the settling process, the water is filtered through activated carbon and sand media that polishes the final product. Beginning in September 2016 the treatment plant upgrades were completed and an Ozone treatment process was implemented after settling and before filtration. This process was added to reduce disinfection byproduct formation. Disinfection, the process used to kill disease producing organisms, is accomplished through application of ultraviolet light followed by a carefully monitored chlorination process. Post treatment includes the addition of phosphoric acid and sodium hydroxide. Phosphoric acid is added at 2.3 mg/L to reduce corrosion of customer's lead piping and fixtures. Sodium hydroxide is added when necessary to increase the treated water to a pH of 7.7 in effort to minimize corrosion of pipes within the distribution system and customers plumbing.

**Facts and Figures**

In 2017 a total volume of 1,969,343,508 gallons of potable water was received from the Poughkeepsies' Water Treatment Facility. Of this total, 473,973,536 gallons was delivered to 3<sup>rd</sup> party customers and 1,495,369,972 gallons delivered to city residents. The City billed its customers for 928,388,398 gallons of water. Non-billed water was 566,981,574 gallons which included 176,742,944 gallons used for an aggressive flushing program for water quality purposes, fire hydrant flow testing, existing reservoir loss, construction of new reservoir, and surveyed water main leaks. Unaccounted for water losses were 390,238,630 gallons. This figure includes, meter inaccuracies, firefighting and non-surveyed water main leaks.

**Water Cost**

In 2017 the City of Poughkeepsie billed its users based on quarterly water meter readings at the rate of \$4.30 per 100 cubic feet of water (or 750 gallons).

**Facility Modification**

No facility modifications were made in 2017.

**Are there contaminants in our drinking water?**

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: Total Coliform Bacteria, Turbidity, Orthophosphate, Lead and Copper, Residual Chlorine, Bromate, Total Trihalomethanes and Haloacetic Acids. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some

contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one-year-old.

The test data presented in this report cover solely the City of Poughkeepsie distribution system. An addendum to this report contains data from the Poughkeepsies' Water Treatment Facility. Additional information about the water supplied by the Poughkeepsies' Water Treatment Facility may be found in the Annual Water Quality Report published by the Joint Town/City Water Board.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 800-426-4791, or the Dutchess County Health Department at 845-486-3404, or by viewing the EPA drinking water website, [www.epa.gov/safewater](http://www.epa.gov/safewater), and the New York State Health Department website, [www.health.ny.gov](http://www.health.ny.gov).

**Salt Front Information**

Our water is taken from the Hudson River Estuary, which is subject to increased chloride and sodium levels during low rainfall periods. In 2017, the Poughkeepsie's Water Treatment Facility did not experience a salt front episode (defined by USGS as Chloride levels exceeding 100 mg/L). Poughkeepsies' Water Treatment Facility tested the raw water for sodium 13 times in 2017 resulting in an average concentration of 19 mg/L (range 13 to 36 mg/L). The use of the water's conductivity and chloride concentration was used as an indicator of sodium level increase. If specific triggers were met, sodium analysis would have taken place. Last year, the average raw water chloride concentration was 31 mg/L (range 18 to 60 mg/L), which did not trigger additional sodium monitoring.

During normal water years the sodium level varies from 15 – 25 mg/L with higher levels occurring during periods of low rainfall. **Customers who are on a salt restricted diet should consult with their physician concerning salt in their drinking water.** Information concerning sodium levels in your water can be obtained at any time by contacting the Water Plant Administrator, Randy Alstadt, at 451-4173 x 2003.

**EPA's Unregulated Contaminant Monitoring Rule 3 (UCMR3)**

In 2014, the City of Poughkeepsie participated in the first 3 quarterly rounds of sampling for unregulated contaminants to satisfy the federal requirement set by the EPA. The purpose of the UCMR3 is to assist the EPA in determining the occurrence of contaminants in drinking water and whether regulation or a change in existing regulation is required. Contaminants detected are listed in the table. For more information on the testing and results please contact the department manager listed at the beginning of this report.

Table of Detected Contaminants, City of Poughkeepsie, 2017							
Water Distribution System							
Contaminant	Violation Yes/No	Sample Date(s) month/year	Level Detected	Unit of Measurement	MCLG	Regulatory Limit	Likely Source of Contamination
<b>Microbial Contaminants</b>							
Total Coliform	No	40 per month	3 positive sample	N/A	N/A	A violation occurs when more than 5% of samples collected in each month are positive for Total Coliform	Naturally present in the environment.
<b>Lead and Copper Monitoring</b>							
Copper	No	11/16 thru 01/17	0.080 <sup>1</sup> Range = ND to 0.888	mg/L	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.
Lead	No	11/16 thru 01/17	2 <sup>2</sup> Range = ND to 60	ug/L	0	AL = 15	Corrosion of household plumbing systems, erosion of natural deposits
<b>Inorganic Contaminants</b>							
Turbidity	No	5 per week	Average = 0.05 Range = ND to 3.4	NTU	N/A	MCL = 5.0 <sup>3</sup>	Soil runoff
Orthophosphate (reported as Phosphorus)	N/A	1per week	Average = 0.71 Range = 0.45 to 0.84	mg/L	N/A	N/A	Orthophosphate is added at the Poughkeepsies' Water Treatment Facility to inhibit corrosion of lead piping in the distribution system.
<b>Disinfection Byproducts</b>							
Free Chlorine Residual	No	Minimum of 40 per month	Average = 1.5 Range = ND to 2.5	mg/L	N/A	MCL = 4 <sup>4</sup>	Water additive used to control microbes.
Total Trihalomethanes (TTHMs -- chloroform, bromo-dichloromethane, dibromochloro-	No	02/08/17 05/10/17 08/09/17 11/08/17	Stage 2 Calculation <sup>5</sup> Highest LRAA = 52.6 (Range of detects = 22 – 53.9)	ug/L	N/A	MCL = 80 for four-quarter average	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.

methane, and bromoform)							
Haloacetic Acids (mono-, di-, and trichloroacetic acid, and mono- and di-bromoacetic acid)	No	02/08/17 05/10/17 08/09/17 11/08/17	Stage 2 Calculation <sup>5</sup> Highest LRAA = 25.6 (Range of detects = 13.4 – 29.3)	ug/L	N/A	MCL = 60 for four-quarter average	By-product of drinking water disinfection needed to kill harmful organisms.
<b>Unregulated Contaminant Monitoring Rule (UCMR3)</b>							
Strontium	No	5/14 8/14 11/14	Average = 151 Range = 132 to 182	ug/L	N/A	N/A	Naturally-occurring element in soil and bedrock and may dissolve entering groundwater; commercially used in making ceramics and glass products, pyrotechnics, paint pigments, fluorescent lights, and medicines.
Chlorate	No	5/14 8/14 11/14	Average = 265 Range = 130 to 530	ug/L	N/A	N/A	By-product of drinking water disinfection when sodium hypochlorite or chlorine dioxide is used
Vanadium	No	5/14 8/14 11/14	Average = 0.27 Range = 0.24 to 0.32	ug/L	N/A	N/A	Erosion of natural deposits; found in fossil fuels
Hexavalent Chromium	No	5/14 8/14 11/14	Average = 0.079 Range = 0.061 to 0.100	ug/L	N/A	N/A	Erosion of natural deposits; Discharge from steel and pulp mills
Chromium	No	5/14 7/14 8/14 11/14	Average = 0.25 Range = 0.2 to 0.33	ug/L	100	100	Discharge from steel and pulp mills; Erosion of natural deposits

**Footnotes:**

1. The level presented represents the 90th percentile of the sites tested for copper.
2. The level presented represents the 90th percentile of the sites tested for lead. The action level was exceeded at one of the locations tested.
3. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of the filtration system of the Poughkeepsie's Water Treatment Facility. In accordance with State regulations for distribution systems, we test for turbidity 5 days/week, 52 weeks/year. Results are reported for the year. Since the City purchases its water from the Poughkeepsie's Water Treatment Facility, Treatment Technique regulations do not apply to the City's distribution system. State regulations for distribution systems require that the monthly average for turbidity must be below 5 NTU.
4. The value reported represents the Maximum Residual Disinfectant Level (MRDL) which is a level of disinfectant added for water treatment that may not be exceeded at the consumer's tap without an unacceptable possibility of adverse health effects.
5. The regulation requires a Locational Running Annual Average (LRAA) be calculated at each site by averaging the results of the 4 most recent quarters. The LRAA reported in this table is the highest LRAA obtained in 2017.

**Definitions:**

**Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**CFU/100 mL:** Colony Forming Units per 100 milliliters of sample.

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as possible.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

**Milligrams per liter (mg/L):** corresponds to one part of liquid in one million parts of liquid (parts per million -- ppm).

**Micrograms per liter (ug/L):** corresponds to one part of liquid in one billion parts of liquid (parts per billion -- ppb).

**N/A:** Not Applicable.

**ND (Non-Detects):** Laboratory analysis indicates that the contaminant is not present.

**Nephelometric Turbidity Unit (NTU):** A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**90th Percentile Value:** The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system.

**Running Annual Average (RAA):** This value is determined by first calculating the quarterly average of all 4 locations sampled and then averaging the 4 most recent quarterly averages.

**Locational Running Annual Average (LRAA):** This value is determined by averaging the 4 most recent quarterly results from one location.

**What does this information in the table mean?**

As you can see by the table, our system had no violations in 2017. We learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the state.

In February 2017 total coliform bacteria were detected in 2 of the routine monthly compliance samples collected at our system. In July 2017 total coliform bacteria were detected in 1 of the routine monthly compliance samples collected at our system. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful bacteria may be present. Additional samples were subsequently collected and total coliforms were not detected in those samples. Since total coliforms were detected in less than 5% of the samples collected that month, the system did not have an MCL violation. It should be noted that E. coli, associated with human and animal fecal waste, was not detected in any of the samples collected.

### **Information on Lead**

We must provide information on lead in drinking water even though our last round of testing showed no problems. Please take a moment to read the following information on lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The City of Poughkeepsie is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

### **Information on Fluoride**

Up until February 2008, our system was one of the many drinking water systems in New York State that provided drinking water with a controlled, low level of fluoride for consumer dental health protection. The fluoride was added by the Poughkeepsies' Water Treatment Facility before it was delivered to us. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at an optimal range from 0.8 to 1.2 mg/L (parts per million). To ensure that the fluoride supplement in your water provided optimal dental protection, the State Department of Health required that the Joint Town and City of Poughkeepsie Water Treatment Facility monitor fluoride levels on a daily basis. During the period when fluoride was being added to the water, no monitoring test results showed levels of fluoride which approached the 2.2 mg/L MCL.

In February 2008, the Poughkeepsies' Water Treatment Facility stopped adding fluoride to the water. You may want to discuss this with your family dentist to see if some other form of fluoride supplement should be considered for your dental protection.

### **Is our water system meeting other rules that govern operations?**

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. In April of 2017, the distribution system received a monitoring violation for collecting only 39 out of 40 Total Coliform samples.

### **Do I need to take special precautions?**

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline at 1-800-426-4791.

### **Why Save Water? How Do I Avoid Wasting It?**

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.
- You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:
- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Water your garden and lawn only when necessary. Remember that a layer of mulch in the flower beds and garden is not only aesthetically pleasing but will help retain moisture.
- Turn off the tap when brushing your teeth.
- Check your toilets for leaks by putting a few drops of food coloring in the tank; watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community and our way of life. Please call us at the number listed at the beginning of this report if you have any questions.

### Addendum

#### Poughkeepsies' Water Treatment Facility Table of Detected Contaminants 2017

Contaminant	Violation Yes/No	Sample Date(s)	Level Detected	Unit of Measurement	MCLG	Regulatory Limit	Likely Source of Contamination
<b>Plant Effluent - Inorganic Contaminants</b>							
Orthophosphate (reported as Phosphorus)	N/A	3 per week	Average = 0.72 Range = 0.58 to 0.85	mg/L	N/A	N/A	Orthophosphate is added at the Poughkeepsies' Water Treatment Facility to inhibit corrosion of lead piping in the distribution system.
Turbidity (Plant Effluent)	No	Continuous Monitoring	Average = 0.05 Range = 0.019 to 0.170	NTU	N/A	MCL = 1 NTU monthly average <sup>1</sup> MCL = 5 NTU two day average	Soil runoff
Turbidity (Filter Effluent)	No	Continuous Monitoring	Average = 0.032 Range = 0.014 to 0.184	NTU	N/A	TT = 95% of samples < 0.3 NTU <sup>2</sup>	Soil runoff
Aluminum	No	1 per week	Average = 22.8 Range = 5.8 to 59	ug/L	200	N/A	Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries
Arsenic	No	8/8/17	0.3	ug/L	N/A	MCL = 10	Erosion of natural deposits, Runoff from orchards or industries
Barium	No	8/8/17	0.02	mg/L	2	MCL = 2	Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries
Bromate	No	Monthly	Average = 1 Range = ND to 12.9 <sup>3</sup>	ug/L	N/A	MCL = 10	By-product of drinking water disinfection at treatment plants using Ozone.
Chloride	No	8/8/17	36	mg/L	250	N/A	Naturally occurring or indicative of road salt contamination
Chromium	No	8/8/17	1	ug/L	100	MCL = 100	Erosion of natural deposits, Discharge from steel and pulp mills
Manganese	No	8/8/17	0.4	ug/L	N/A	MCL = 300 <sup>4</sup>	Erosion of natural deposits
Nitrate	No	8/8/17	0.48	mg/L	10	MCL = 10	Runoff from fertilizer, Leaking septic tanks, sewage, erosion of natural deposits
Nickel	No	8/8/17	0.3	ug/L	N/A	N/A	Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries
Selenium	No	8/8/17	0.8	ug/L	50	MCL = 50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.
Silver	No	8/8/17	4.2	ug/L	N/A	MCL = 100	Naturally occurring, discharge from photographic and radiographic processing; manufacturing of electronic products; jewelry making; plating and soldering
Sodium	No	8/8/17	57	mg/L	N/A	N/A <sup>5</sup>	Naturally occurring; Road salt; Water softeners; Animal waste
Sulfate	No	8/8/17	10	mg/L	N/A	MCL = 250	Naturally occurring
Thallium	No	8/8/17	0.08	ug/L	0.5	MCL = 2	Leaching from ore-processing sites; discharge from electronics, glass and drug factories
Zinc	No	8/8/17	1.10	ug/L	N/A	MCL = 5000	Naturally occurring; mining waste
<b>Plant Effluent - Disinfectants</b>							
Free Chlorine Residual	No	Continuous Monitoring	Average = 2.29 Range = 1.41 to 2.95	mg/L	N/A	MCL = 4 <sup>6</sup>	Water additive used to control microbes.
<b>Plant Effluent - Disinfection Byproducts</b>							
Total Trihalomethanes (chloroform, bromo-dichloromethane, dibromochloro-methane, and bromoform)	No	02/08/17 05/10/17 08/09/17 11/08/17	Average = 9.64 Range = 4.6 to 12.96	ug/L	N/A	MCL = 80 for four-quarter average	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.
Haloacetic Acids (mono-, di-, and trichloroacetic acid, and mono- and di-bromoacetic acid)	No	02/08/17 05/10/17 08/09/17 11/08/17	Average = 8.63 Range = 6.10 to 11.10	ug/L	N/A	MCL = 60 for four-quarter average	By-product of drinking water disinfection needed to kill harmful organisms.
<b>Plant Effluent - Radioactive Contaminants</b>							
Gross Alpha Plant Effluent	No	8/8/17	3.56	pCi/L	0	MCL = 15	Erosion of natural deposits.
Gross Beta	No	8/8/17	71.0	pCi/L	0	50 <sup>7</sup>	Decay of natural deposits and man-made emissions.

1. Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. Our highest single turbidity measurement on the plant effluent (0.17 NTU) occurred on 8/17/17. An MCL violation occurs when the average of all daily entry point analyses for the month exceed the MCL of 1 NTU or when the daily two-day average exceeds

- 5 NTU.
2. The turbidity of each filter is monitored to determine treatment compliance. State regulations require that turbidity must always be below 1 NTU. State regulations require that 95% of samples are below 0.3 NTU. In 2018, 100% of samples were below 0.3 NTU.
  3. Bromate was detected above the MCL on 8/3/17 at a concentration of 12.9 ug/L. Although the MCL value was exceeded for the monthly testing, an MCL violation did not occur as the yearly average is used to determine compliance. Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of getting cancer.
  4. If iron and manganese are present, the total concentration of both should not exceed 500 ug/L. Note that iron was not detected in the sample.
  5. Water containing more than 20 mg/L of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/L of sodium should not be used for drinking by people on moderately restricted sodium diets.
  6. Value presented represents the Maximum Residual Disinfectant Level (MRDL) which is a level of disinfectant added for water treatment that may not be exceeded at the consumer's tap without an unacceptable possibility of adverse health effects.
  7. The State considers 50 pCi/L to be the level of concern for beta particles. When gross beta is detected above 50 pCi/L the state requires the determination of the radioactive constituents present in the gross beta result. Additional sampling was performed to determine the constituents present but gross beta was not detected in any of the samples collected and therefore the actual constituents could not be determined. It should be noted that the raw water that was also tested on 8/8/17 had a gross beta result of 23.1 pCi/L and previous years of testing show gross beta to be well below 50 pCi/L or non-detect.

### Table Definitions

**NYSDOH:** New York State Department of Health

**USEPA:** United States Environmental Protection Agency

**MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in the drinking water.

**MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.

**MRDL (Maximum Residual Disinfectant Level):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG (Maximum Residual Disinfectant Level Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

**NTU (Nephelometric Turbidity Unit):** A measure of the clarity of the water. Turbidity in excess of 5.0 NTU is just noticeable to the average person.

**TT:** Treatment Technique

**N/A:** Not Applicable

**ND:** Not Detected

**mg/L (milligrams per liter):** Corresponds to one mass part in one million parts of another liquid (parts per million)

**µg/L (micrograms per liter):** Corresponds to one mass part in one billion parts of another liquid (parts per billion)

**pCi/L (Picocuries per liter):** A measure of the radioactivity in water.

**mrem/yr (millirems per year):** A measure of radiation absorbed by the body.